

## IN THE CLAIMS

Please amend the claims as follows:

1.-3. (Canceled)

4. (Currently amended) A method for a wireless device capable of communicating over a wireless network and having operating software for supporting a computer platform on said wireless device capable of executing applications, comprising:

booting-up the wireless device, said booting-up including initializing said wireless device for normal communications over the wireless network;

after said booting-up, ~~automatically~~ remotely receiving a recall command identifying a specific application available for execution on said computer platform of said wireless device; and

responsive to said remote recall command, uninstalling said specific application without requiring end-user interaction.

5. (Previously presented) The method of claim 4, wherein the recall command comprises an identification of said specific application and an instruction for causing said wireless device to delete said specific application.

6. (Previously presented) The method of claim 5, wherein the recall command is sent to the wireless device via a short message service (SMS) message.

7.-8. (Canceled)

9. (Previously presented) The method of claim 5, wherein said step of uninstalling comprises:

searching a database on said wireless device using said identification to determine an address range corresponding to said specific application; and

deleting contents of said address range.

10. (Currently amended) A method for a server to cause a recall of a specific application installed on a subset of wireless devices selected from a set of wireless devices, each wireless device in said set capable of communicating over a wireless network, said server capable of communicating over said wireless network, the method comprising:

maintaining a database for identifying each application installed on each wireless device of said set;

searching said database to identify said subset of wireless devices having said specific application installed; and

sending an application recall command to each wireless device in said subset which initiates uninstalling said specific application without requiring user interaction on the wireless devices.

11. (Previously presented) The method of claim 10, wherein each recall command comprises an identification of said specific application and an instruction for causing one of said wireless devices from said subset of wireless devices to delete said specific application.

12.-19. (Canceled)

20. (Previously presented) The method of claim 11, wherein the recall command is sent to the wireless device via a short message service (SMS) message.

21. (Previously presented) The method of claim 5, wherein each recall command further comprises:

a uninstall application, which when executed by a wireless device, deletes said specific application.

22. (Previously presented) The method of claim 10, wherein each recall command further comprises:

a uninstall application, which when executed by a wireless device, deletes said specific application.

23. (Previously presented) The method of claim 10, wherein each wireless device which receives said application recall command uninstalls an application identified in said application recall command.

24. (Previously presented) The method of claim 10, wherein each wireless device which receives said application recall command responds to said application recall command by checking-in with a server on said wireless network to determine whether any installed applications requires uninstallation.

25. (Currently amended) A method for a wireless device capable of communicating over a wireless network and having operating software for supporting a computer platform on said wireless device capable of executing applications, comprising:

booting-up the wireless device, said booting-up including initializing said wireless device for normal communications over the wireless network;

after said booting-up, ~~automatically~~ remotely receiving a recall message; and

responsive to said remote recall message, checking-in with a server on said wireless network to determine whether to uninstall one or more applications on said wireless device without requiring end-user interaction.